



Colorimetric Parameters

Chromaticity Coordinate: $x=0.1436$ $y=0.7347$ / $u'=0.0498$ $v'=0.5735$

CCT=8211K (Duv=0.1659) Dominant WL: $\lambda_d = 523.0\text{nm}$ Purity=80.6%

Peak WL: $\lambda_p = 517.0\text{nm}$ FWHM=26.0nm

Render Index: $R_a = 0.0$ Render Index: AvgR = 2.2

R1 = 0	R2 = 0	R3 = 0	R4 = 0	R5 = 0	R6 = 0	R7 = 0	
R8 = 0	R9 = 0	R10 = 0	R11 = 0	R12 = 0	R13 = 0	R14 = 33	R15 = 0

Photometric & Radiometric Parameters

Flux=415.5 lm Eff.: 36.72 lm/W Fe=895.1 mW

Electrical parameters

V=24 V I=0.4695 A P=11.27 W PF=1.000 F=0.00 Hz

Status: Integral T = 152 ms $I_p = 52899$ (81%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model: C-SFR-F15B-HB-D24CC-G-72-2835-1M

Test By: SHAN

Temperature: 25.3Deg

Manufacturer:

Assessor:

Date: 2018-08-16 10:00:08

Humidity: 63.0%

Remarks: 1

Standard: