



Colorimetric Parameters

Chromaticity Coordinate: $x=0.1303$ $y=0.0681$ $u'=0.1466$ $v'=0.1723$

CCT=100000K (Duv=0.1549) Dominant WL: $\lambda_d = 470.3\text{nm}$ Purity=96.7%

Peak WL: $\lambda_p = 465.6\text{nm}$ FWHM=19.6nm

Render Index: $R_a = 0.2$ Render Index: AvgR = 0.1

R1 = 0 R2 = 0 R3 = 0 R4 = 0 R5 = 1 R6 = 0 R7 = 0

R8 = 0 R9 = 0 R10 = 0 R11 = 0 R12 = 0 R13 = 0 R14 = 0 R15 = 0

Photometric & Radiometric Parameters

Flux=139.0 lm Eff.: 12.57 lm/W Fe=1.892 W

Electrical parameters

V=24.0 V I=0.4607 A P=11.06 W PF=1.000 F=0.00 Hz

Status: Integral T = 78 ms $I_p = 52955$ (81%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model: C-SFR-F22B-VB-D24CC-B-108-2835-1M

Test By: SHAN

Temperature: 25.3Deg

Manufacturer:

Assessor:

Date: 2018-08-16 14:12:50

Humidity: 63.0%

Remarks:

Standard: