



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5038$ $y=0.4121$ / $u'=0.2905$ $v'=0.5346$

CCT=2197K (Duv=-0.0010) Dominant WL: $\lambda_d = 587.6\text{nm}$ Purity=74.9%

Peak WL: $\lambda_p = 623.1\text{nm}$ FWHM=123.2nm

Render Index: $R_a = 86.5$ Render Index: AvgR = 83.2

R1 =86	R2 =94	R3 =97	R4 =84	R5 =86	R6 =95	R7 =84	
R8 =67	R9 =34	R10=87	R11=84	R12=84	R13=88	R14=99	R15=80

Photometric & Radiometric Parameters

Flux=510.0 lm Eff.:46.10 lm/W $F_e = 1.890\text{ W}$

Electrical parameters

V=24 V I=0.4591 A P=11 W PF=1.000 F=0.00 Hz

Status: Integral T = 304 ms $I_p = 52818$ (81%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model: C-SFR-F22B-VB-D24CC-W2200-108-2835-1M

Test By: SHAN

Temperature: 25.3Deg

Manufacturer:

Assessor:

Date: 2018-06-28 10:41:01

Humidity: 63.0%

Remarks:

Standard: